

Peer-reviewed articles citing Doppler Flow Velocity System

- Malek Mohammadi M, Abouissa A, Heineke J. A surgical mouse model of neonatal pressure overload by transverse aortic constriction. *Nat Protoc.* 2020. doi:10.1038/s41596-020-00434-9
- Machin DR, Auduong Y, Gogulamudi VR, et al. Lifelong SIRT-1 overexpression attenuates large artery stiffening with advancing age. *Aging (Albany NY).* 2020;12(12):11314-11324. doi:10.18632/aging.103322
- Cai C, Zhao C, Kilari S, et al. Experimental murine arteriovenous fistula model to study restenosis after transluminal angioplasty. *Lab Anim (NY).* 2020;49(11):320-334. doi:10.1038/s41684-020-00659-x
- Trial JA, Diaz Lankeau R, Angelini A, et al. Treatment with a DC-SIGN ligand reduces macrophage polarization and diastolic dysfunction in the aging female but not male mouse hearts. *GeroScience.* 2020. doi:10.1007/s11357-020-00255-4
- Rodriguez S, Little HC, Daneshpajouhnejad P, et al. Aging and chronic high-fat feeding negatively affects kidney size, function, and gene expression in CTRP1- deficient mice. *Am J Physiol - Regul Integr Comp Physiol.* 2020.
- Seymour J, Saggiomo S, Lam W, Pereira P, Little M. Non-invasive assessment of the cardiac effects of Chironex fleckeri and Carukia barnesi venoms in mice, using pulse wave doppler. *Toxicon.* 2020;185(April):15-25. doi:10.1016/j.toxicon.2020.06.018
- Cai C, Kilari S, Zhao C, et al. Therapeutic effect of adipose derived mesenchymal stem cell transplantation in reducing restenosis in a murine angioplasty model. *J Am Soc Nephrol.* 2020;31(8):1781-1795. doi:10.1681/ASN.2019101042
- Cai C, Zhao C, Kilari S, et al. Effect of sex differences in treatment response to angioplasty in a murine arteriovenous fistula model. *Am J Physiol Physiol.* 2020;318(3):F565-F575. doi:10.1152/ajprenal.00474.2019
- Elimban V, Xu YJ, Bhullar SK, Dhalla NS. Temperature-dependent effects on CO2 water bath therapy induced changes in blood flow and vascularity in hind limb ischemia. *Can J Physiol Pharmacol.* 2020;98(4):228-235. doi:10.1139/cjpp-2019-0537
- Clark JL, Loader TB, Anderson HD, Zahradka P, Taylor CG. Regular black bean consumption is necessary to sustain improvements in small-artery vascular compliance in the spontaneously hypertensive rat. *Nutrients.* 2020;12(3):1-20. doi:10.3390/nu12030685
- Rodriguez S, Little HC, Daneshpajouhnejad P, et al. Late-onset renal hypertrophy and dysfunction in mice lacking CTRP1. *FASEB J.* 2020;34(2):2657-2676. doi:10.1096/fj.201900558RR
- Kerkhofs D, van Hagen BT, Milanova I V, et al. Pharmacological depletion of microglia prevents vascular cognitive impairment in Ang II-induced hypertension. *bioRxiv.* 2020:2020.01.24.916650. doi:10.1101/2020.01.24.916650
- Tuday E, Nomura Y, Ruhela D, et al. Deletion of the microRNA-degrading nuclease, translin/trax, prevents pathogenic vascular stiffness. *Am J Physiol Heart Circ Physiol.* 2019;317(5):H1116-H1124. doi:10.1152/ajpheart.00153.2019
- Grund A, Szarozzyk M, Korf-Klingebiel M, et al. TIP30 counteracts cardiac hypertrophy and failure by inhibiting translational elongation. *EMBO Mol Med.* 2019:e10018. doi:10.15252/emmm.2018110018
- Reho JJ, Guo D-F, Morgan DA, Rahmouni K. Smooth Muscle Cell-Specific Disruption of the BBSome Causes Vascular Dysfunction. *Hypertension.* 2019;817-825. doi:10.1161/HYPERTENSIONAHA.119.13382
- Mukohda M, Fang S, Wu J, et al. RhoBTB1 protects against hypertension and arterial stiffness by restraining phosphodiesterase 5 activity. *J Clin Invest.* 2019;130:1-44. doi:10.1172/JCI123462
- Ferguson DP, Monroe TO, Heredia CP, et al. Postnatal undernutrition alters adult female mouse cardiac structure and function leading to limited exercise capacity. *J Physiol.* 2019;597(7):1855-1872. doi:10.1113/jp277637
- Cai C, Yang B, Kilari S, et al. Evaluation of Venous Stenosis Angioplasty in a Murine Arteriovenous Fistula Model. *J Vasc Interv Radiol.* 2019;1-10. doi:10.1016/j.jvir.2018.11.032
- Matoso D, Armstrong F, Li GS, et al. Knockdown of transglutaminase-2 prevents early age- induced vascular changes in mice. *Acta Cir Bras.* 2018;33(11):991-999.
- Fukunishi T, Ong CS, Lui C, et al. Formation of neoarteries with optimal remodeling using rapidly degrading textile vascular grafts. *Tissue Eng Part A.* 2018;1(410):ten.TEA.2018.0167. doi:10.1089/ten.TEA.2018.0167
- Rockman HA, Ross RS, Harris AN, et al. Segregation of atrial-specific and inducible expression of an atrial natriuretic factor transgene in an in vivo murine model of cardiac hypertrophy. *Proc Natl Acad Sci U S A.* 1991;88(18):8277-8281. http://www.ncbi.nlm.nih.gov/pubmed/1832775. Accessed November 26, 2018.
- Sandgren JA, Santillan MK, Grobe JL, et al. Arginine vasopressin infusion is sufficient to model clinical features of preeclampsia in mice. *JCI Insight.* 2018;3(19).
- Li YH, Chung HC, Luo CY, et al. Thrombomodulin is upregulated in cardiomyocytes during cardiac hypertrophy and prevents the progression of contractile dysfunction. *J Card Fail.* 2010;16(12):980-990. doi:10.1016/j.cardfail.2010.06.415
- deAlmeida AC, van Oort RJ, Wehrens XHT. Transverse Aortic Constriction in Mice. *J Vis Exp.* 2010;(38):7-9. doi:10.3791/1729
- Sikka G, Yang R, Reid S, et al. Leptin is essential in maintaining normal vascular compliance independent of body weight. *Int J Obes.* 2010;34(1):203-206. doi:10.1038/ijo.2009.208
- Haudek S, Cheng J, Du J, et al. Monocytic fibroblast precursors mediate fibrosis in angiotensin-II-induced cardiac hypertrophy. *J Mol Cell Cardiol.* 2010;49(3):499-507. doi:10.1016/j.jmcc.2009.07.003.Characterization
- Marchi R, Walton BL, McGary CS, et al. Dysregulated coagulation associated with hypofibrinogenemia and plasma hypercoagulability: Implications for identifying coagulopathic mechanisms in humans. *Thromb Haemost.* 2012;108(3):516-526. doi:10.1160/TH12-05-0355
- Kass DJ, Rattigan E, Kahloon R, et al. Early treatment with fumagillin, an inhibitor of methionine aminopeptidase-2, prevents pulmonary hypertension in monocrotaline-injured rats. *PLoS One.* 2012;7(4). doi:10.1371/journal.pone.0035388
- Cruz JA, Bauer EM, Rodriguez AI, et al. Chronic hypoxia induces right heart failure in caveolin-1-/- mice. *Am J Physiol Circ Physiol.* 2012;302(12):H2518-H2527. doi:10.1152/ajpheart.01140.2011
- Yang F, Dong A, Mueller P, et al. Coronary artery remodeling in a model of left ventricular pressure overload is influenced by platelets and inflammatory cells. *PLoS One.* 2012;7(8). doi:10.1371/journal.pone.0040196
- Cieslik K, Taffet G, Crawford J, Trial J, Osuna P, Entman M. AICAR-dependent AMPK activation improves scar formation in the aged heart in a murine model of reperfused myocardial infarction. *J Mol Cell Cardiol.* 2013;63. doi:10.1016/j.jmcc.2009.07.003.Characterization
- Yang R, Sikka G, Larson J, et al. Restoring leptin signaling reduces hyperlipidemia and improves vascular stiffness induced by chronic intermittent hypoxia. *Am J Physiol Heart Circ Physiol.* 2011;300(4):H1467-H1476. doi:10.1152/ajpheart.00604.2009
- Steppan J, Tran H, Benjo AM, et al. Alagebrium in combination with exercise ameliorates age-associated ventricular and vascular stiffness. *Exp Gerontol.* 2012;47(8):565-572. doi:10.1016/j.exger.2012.04.006
- Soucy KG, Lim HK, Kim JH, et al. HZE 56 Fe-Ion Irradiation Induces Endothelial Dysfunction in Rat Aorta: Role of Xanthine Oxidase. *Radiat Res.* 2011;176(4):474-485. doi:10.1667/RR2598.1
- Cardenas JC, Owens AP, Krishnamurthy J, Sharpless NE, Whinna HC, Church FC. Overexpression of the cell cycle inhibitor p16INK4a promotes a prothrombotic phenotype following vascular injury in mice. *Arterioscler Thromb Vasc Biol.* 2011;31(4):827-833. doi:10.1161/ATVBAHA.110.221721
- Baskin KK. Regulation of Protein Degradation in the Heart by AMP-Activated Protein Kinase. 2012.
- Sikka G, Pandey D, Bhuniya AK, et al. Contribution of arginase activation to vascular dysfunction in cigarette smoking. *Atherosclerosis.* 2013;231(1):91-94. doi:10.1016/j.atherosclerosis.2013.08.026
- Wang J, Geddings JE, Aleman MM, et al. Tumor-derived tissue factor activates coagulation and enhances thrombosis in a mouse xenograft model of human pancreatic cancer. *Thromb Haemost.* 2012;119(23):5543-5553. doi:10.1182/blood-2012-01-402156.The
- Zhou RH, Vendrov AE, Tchivilev I, et al. Mitochondrial oxidative stress in aortic stiffening with age the role of smooth muscle cell function. *Arterioscler Thromb Vasc Biol.* 2012;32(3):745-755. doi:10.1161/ATVBAHA.111.243121
- Reineke EL, York B, Stashi E, et al. SRC-2 Coactivator Deficiency Decreases Functional Reserve in Response to Pressure Overload of Mouse Heart. *PLoS One.* 2012;7(12). doi:10.1371/journal.pone.0053395

Peer-reviewed articles citing Doppler Flow Velocity System

- Grimes KM, Lindsey ML, Gelfond JAL, Buffenstein R. Getting to the heart of the matter: Age-related changes in diastolic heart function in the longest-lived rodent, the naked mole rat. *Journals Gerontol - Ser A Biol Sci Med Sci*. 2012;67 A(4):384-394. doi:10.1093/gerona/qlr222
- Chiao YA, Ramirez TA, Zamilpa R, et al. Matrix metalloproteinase-9 deletion attenuates myocardial fibrosis and diastolic dysfunction in ageing mice. *Cardiovasc Res*. 2012;96(3):444-455. doi:10.1093/cvr/cvs275
- Hartley CJ, Taffet GE, Reddy AK, Entman ML, Michael LH. Noninvasive cardiovascular phenotyping in mice. *ILARJ*. 2002;43(3):147-158. doi:10.1093/ilar.43.3.147
- Li Y-H, Reddy AK, Ochoa LN, et al. Effect of age on peripheral vascular response to transverse aortic banding in mice. *J Gerontol A Biol Sci Med Sci*. 2003;58(10):B895-9. <http://www.ncbi.nlm.nih.gov/pubmed/14570855>.
- Hartley CJ, Reddy AK, Madala S, et al. Hemodynamic changes in apolipoprotein E-knockout mice. *Am J Physiol Heart Circ Physiol*. 2000;279(5):H2326-H2334. doi:10.1152/ajpheart.2000.279.5.H2326
- Reddy AK, Taffet GE, Li YH, et al. Pulsed doppler signal processing for use in mice: Applications. *IEEE Trans Biomed Eng*. 2005;52(10):1771-1783. doi:10.1109/TBME.2005.855709
- Reddy AK, Jones AD, Martono C, Caro WA, Madala S, Hartley CJ. Pulsed Doppler signal processing for use in mice: design and evaluation. *Biomed Eng IEEE Trans*. 2005;52(10):1764-1770.
- Wang YX, Da Cunha V, Martin-McNulty B, et al. Inhibition of Rho-kinase by fasudil attenuated angiotensin II-induced cardiac hypertrophy in apolipoprotein e deficient mice. *Eur J Pharmacol*. 2005;512(2-3):215-222. doi:10.1016/j.ejphar.2005.02.024
- Flenniken AM. A Gja1 missense mutation in a mouse model of oculodentodigital dysplasia. *Development*. 2005;132(19):4375-4386. doi:10.1242/dev.02011
- Callaerts-Vegh Z, Evans KLJ, Shipley GL, et al. Effects of different beta adrenoceptor ligands in mice with permanent occlusion of the left anterior descending coronary artery. *Br J Pharmacol*. 2003;138(8):1505-1516. doi:10.1038/sj.bjp.0705205
- Weisleder N, Taffet GE, Capetanaki Y. Bcl-2 overexpression corrects mitochondrial defects and ameliorates inherited desmin null cardiomyopathy. *Proc Natl Acad Sci U S A*. 2004;101(3):769-774. doi:10.1073/pnas.0303202101
- Reddy A, Taffet GE, Prchal JF, Michael LH, Entman ML, Hartley CJ. Effect of cellular elements on pressure-velocity relationship in mice. *Conf Proc IEEE Eng Med Biol Soc*. 2004;5:3720-3722. doi:10.1109/IEMBS.2004.1404044
- Reddy AK, Li Y-H, Pham TT, et al. Measurement of aortic input impedance in mice: effects of age on aortic stiffness. *Am J Physiol Heart Circ Physiol*. 2003;285(4):H1464-70. doi:10.1152/ajpheart.00004.2003
- Stansfield WE, Rojas M, Corn D, et al. Characterization of a Model to Independently Study Regression of Ventricular Hypertrophy. *J Surg Res*. 2007;142(2):387-393. doi:10.1016/j.jss.2007.01.037
- Reddy AK, Amador-Nogues D, Darlington GJ, et al. Cardiac function in young and old Little mice. *J Gerontol A Biol Sci Med Sci*. 2007;62(12):1319-1325. doi:10.1093/gerona/62.12.1319
- Hartley CJ, Reddy AK, Madala S, Michael LH, Entman ML, Taffet GE. Effects of Isoflurane on Coronary Blood Flow Velocity in Young, Old and ApoE- Mice Measured by Doppler Ultrasound. *Ultrasound Med Biol*. 2007;33(4):512-521. doi:10.1016/j.ultrasmedbio.2006.11.002
- Fitch RM. Synergistic effect of angiotensin II and nitric oxide synthase inhibitor in increasing aortic stiffness in mice. *AJP Hear Circ Physiol*. 2005;290(3):H1190-H1198. doi:10.1152/ajpheart.00327.2005
- Barrick C, Rojas M, Schoonhoven R, Smyth S, Threadgill DW. Cardiac response to pressure overload in 129S1/SvMj and C57BL/6j mice: temporal and background dependent development of concentric left ventricular hypertrophy. *AJP - Hear Circ Physiol*. 2006;27599:816. doi:10.1152/ajpheart.00816.2006.
- Vincelette J, Martin-McNulty B, Vergona R, Sullivan ME, Wang YX. Reduced cardiac functional reserve in apolipoprotein E knockout mice. *Transl Res*. 2006;148(1):30-36. doi:10.1016/j.jlab.2006.03.007
- Thakker GD, Frangogiannis NG, Bujak M, et al. Effects of diet-induced obesity on inflammation and remodeling after myocardial infarction. *AJP Hear Circ Physiol*. 2006;291(5):H2504-H2514. doi:10.1152/ajpheart.00322.2006
- Soucy KG, Ryoos S, Benjo A, et al. Impaired shear stress-induced nitric oxide production through decreased NOS phosphorylation contributes to age-related vascular stiffness. *J Appl Physiol*. 2006;101(6):1751-1759. doi:10.1152/jappphysiol.00138.2006
- Kim JH, Bugaj LJ, Oh YJ, et al. Arginase inhibition restores NOS coupling and reverses endothelial dysfunction and vascular stiffness in old rats. *J Appl Physiol*. 2009;107(4):1249-1257. doi:10.1152/jappphysiol.91393.2008
- Reddy AK, Namiranian K, Lloyd EE, Bryan RM, Taffet GE, Hartley CJ. Effect of isoflurane on aortic impedance in mice. *Conf Proc IEEE Eng Med Biol Soc*. 2009;1104-1105. doi:10.1109/IEMBS.2009.5334387
- Hartley CJ, Reddy AK, Madala S, Michael LH, Entman ML, Taffet GE. Doppler Estimation of Reduced Coronary Flow Reserve in Mice with Pressure Overload Cardiac Hypertrophy. *Ultrasound Med Biol*. 2008;34(6):892-901. doi:10.1016/j.ultrasmedbio.2007.11.019
- Buyue Y, Whinna HC, Sheehan JP. The heparin-binding exosite of factor IXa is a critical regulator of plasma thrombin generation and venous thrombosis. *Blood*. 2008;112(8):3234-3241. doi:10.1182/blood-2008-01-136820
- Soucy KG, Lim HK, Benjo A, et al. Single exposure gamma-irradiation amplifies xanthine oxidase activity and induces endothelial dysfunction in rat aorta. *Radiat Environ Biophys*. 2007;46(2):179-186. doi:10.1007/s00411-006-0090-z
- Reddy AK, Taffet GE, Hartley CJ. Aortic impedance in Little mice. *Conf Proc IEEE Eng Med Biol Soc*. 2008;2008:1397-1398. doi:10.1109/IEMBS.2008.4649426
- Tuday EC, Meck J V., Nyhan D, Shoukas AA, Berkowitz DE. Microgravity-induced changes in aortic stiffness and their role in orthostatic intolerance. *J Appl Physiol*. 2007;102(3):853-858. doi:10.1152/jappphysiol.00950.2006
- Lim HK, Lim HK, Ryoos S, et al. Mitochondrial arginase II constrains endothelial NOS-3 activity. *Am J Physiol Circ Physiol*. 2007;293(6):H3317-H3324. doi:10.1152/ajpheart.00700.2007
- Trial J, Heredia C, Taffet G, Entman M, Cieslik K. Dissecting the role of myeloid and mesenchymal fibroblasts in age-dependent cardiac fibrosis. *Basic Res Cardiol*. 2017;112(4). doi:10.1016/S2214-109X(16)30265-0. Cost-effectiveness
- Lesniewski LA, Seals DR, Walker AE, et al. Dietary rapamycin supplementation reverses age-related vascular dysfunction and oxidative stress, while modulating nutrient-sensing, cell cycle, and senescence pathways. *Aging Cell*. 2017;16(1):17-26. doi:10.1111/acel.12524
- Hotta K, Chen B, Behnke BJ, et al. Exercise training reverses age-induced diastolic dysfunction and restores coronary microvascular function. *J Physiol*. 2017;595(12):3703-3719. doi:10.1113/JP274172
- Murali M. Elucidating the effect of sex on the metabolic and vascular perturbations induced by the absence of adiponectin. 2016.
- Dong A, Mueller P, Yang F, Yang L, Morris A, Smyth SS. Direct thrombin inhibition with dabigatran attenuates pressure overload-induced cardiac fibrosis and dysfunction in mice. *Thromb Res*. 2017;159(September):58-64. doi:10.1016/j.thromres.2017.09.016
- Hinton AO, Yang Y, Quick AP, et al. SRC-1 regulates blood pressure and aortic stiffness in female mice. *PLoS One*. 2016;11(12):1-16. doi:10.1371/journal.pone.0168644
- Hanson MG, Taylor CG, Wu Y, Anderson HD, Zahradka P. Lentil consumption reduces resistance artery remodeling and restores arterial compliance in the spontaneously hypertensive rats. *J Nutr Biochem*. 2016;37:30-38. doi:10.1016/j.jnutbio.2016.07.014
- Brodjeski AL. Reduced SIRT3 contributes to large elastic artery stiffness with aging. 2017.
- Xu Y, Elimban V, Bhullar SK, Dhalla NS. Effects of CO2 water-bath treatment on blood flow and angiogenesis in ischemic hind limb of diabetic rat 1. *Can J Physiol Pharmacol*. 2018;5(September 2017):1-5.
- Natarajan N, Hori D, Flavahan S, et al. Microbial short chain fatty acid metabolites lower blood pressure via endothelial G protein-coupled receptor 41. *Physiol Genomics*. 2016;48(11):826-834. doi:10.1152/physiolgenomics.00089.2016
- Battson ML, Lee DM, Jarrell DK, et al. Tauroursodeoxycholic Acid Reduces Arterial Stiffness and Improves Endothelial Dysfunction in Type 2 Diabetic Mice. *J Vasc Res*. 2017;54(5):280-287. doi:10.1159/000479967
- Garner T, Ouyang A, Berrones AJ, Campbell MS, Du B, Fleenor BS. Sweet potato (Ipomoea batatas) attenuates diet-induced aortic stiffening independent of changes in body composition. *Appl Physiol Nutr Metab*. 2017;42(8):802-809. doi:10.1139/apnm-2016-0571
- Hori D, Dunkerly-Eyring B, Nomura Y, et al. MiR-181b regulates vascular stiffness age dependently in part by regulating TGF-β signaling. *PLoS One*. 2017;12(3):1-20. doi:10.1371/journal.pone.0174108
- Pena A, Kobir A, Goncharov D, et al. Pharmacological inhibition of mtor kinase reverses right ventricle remodeling and improves right ventricle structure and function in rats. *Am J Respir Cell Mol Biol*. 2017;57(5):615-625. doi:10.1165/rmb.2016-0364OC
- Lee DM, Battson ML, Jarrell DK, et al. Fuzhuan tea reverses arterial stiffening after modest weight gain in mice. *Nutrition*. 2017;33:266-270. doi:10.1016/j.nut.2016.07.010
- Alsiraj Y. Role of sex chromosomes in sexual dimorphism of ANGII-induced abdominal aortic aneurysms. 2018.

Peer-reviewed articles citing Doppler Flow Velocity System

- Ouyang A, Garner TB, Fleenor BS. Hesperidin reverses perivascular adipose-mediated aortic stiffness with aging. *Exp Gerontol*. 2017;97(May):68-72. doi:10.1016/j.exger.2017.08.003
- Biswas D. Transition To Turbulence in Non-Newtonian Fluids: an in-Vitro Study Using Pulsed Doppler Ultrasound for Biological Flows. 2014;308(11).
- LaRocca T, Gioscia-Ryan R, Hearon Jr C, Seals D. The autophagy enhancer spermidine reverses arterial aging. *Mech Ageing Dev*. 2013;134(0):314-320. doi:10.1016/j.mad.2013.04.004.The
- Cieslik KA, Sekhar R V, Granillo A, et al. Improved Cardiovascular Function in Old Mice After N-Acetyl Cysteine and Glycine Supplemented Diet: Inflammation and Mitochondrial Factors. *Journals Gerontol Ser A*. 2018;73(9):1167-1177. doi:10.1093/gerona/gly034
- Lee DM, Battson ML, Jarrell DK, et al. SGLT2 inhibition via dapagliflozin improves generalized vascular dysfunction and alters the gut microbiota in type 2 diabetic mice. *Cardiovasc Diabetol*. 2018;17(1):1-14. doi:10.1186/s12933-018-0708-x
- Duerrschmid C, Crawford J, Reineke E, et al. TNF receptor 1 signaling is critically involved in mediating angiotensin-II-induced cardiac fibrosis. *J Mol Cell Cardiol*. 2013;57:59-67. doi:10.1249/MSS.0b013e31826c9a78.25(OH)
- Gurha P, Wang T, Larimore AH, et al. microRNA-22 Promotes Heart Failure through Coordinate Suppression of PPAR/ERR-Nuclear Hormone Receptor Transcription. *PLoS One*. 2013;8(9):1-10. doi:10.1371/journal.pone.0075882
- Donato AJ, Walker AE, Magerko KA, et al. Life-long caloric restriction reduces oxidative stress and preserves nitric oxide bioavailability and function in arteries of old mice. *Aging Cell*. 2013;12(5):772-783. doi:10.1111/acel.12103
- Lin Y, Kuro-o M, Sun Z. Genetic deficiency of anti-aging gene *klotho* exacerbates early nephropathy in STZ-induced diabetes in male mice. *Endocrinology*. 2013;154(10):3855-3863. doi:10.1210/en.2013-1053
- Jung SM, Jandu S, Steppan J, et al. Increased tissue transglutaminase activity contributes to central vascular stiffness in eNOS knockout mice. *Am J Physiol Circ Physiol*. 2013;305(6):H803-H810. doi:10.1152/ajpheart.00103.2013
- Kelsey L, Flenniken AM, Qu D, et al. ENU-induced Mutation in the DNA-binding Domain of KLF3 Reveals Important Roles for KLF3 in Cardiovascular Development and Function in Mice. *PLoS Genet*. 2013;9(7). doi:10.1371/journal.pgen.1003612
- Zhang Y, Yue Y, Li L, et al. Dual AAV therapy ameliorates exercise-induced muscle injury and functional ischemia in murine models of duchenne muscular dystrophy. *Hum Mol Genet*. 2013;22(18):3720-3729. doi:10.1093/hmg/ddt224
- Chatterjee S, Bedja D, Mishra S, et al. Inhibition of glycosphingolipid synthesis ameliorates atherosclerosis and arterial stiffness in apolipoprotein E-/- Mice and rabbits fed a high-fat and -cholesterol diet. *Circulation*. 2014;129(23):2403-2413. doi:10.1161/CIRCULATIONAHA.113.007559
- Yang F, Dong A, Ahamed J, Sunkara M, Smyth SS. Granule cargo release from bone marrow-derived cells sustains cardiac hypertrophy. *AJP Hear Circ Physiol*. 2014;307(10):H1529-H1538. doi:10.1152/ajpheart.00951.2013
- Zeineh NS, Bachman TN, El-Haddad H, Champion HC. Effects of acute intravenous iloprost on right ventricular hemodynamics in rats with chronic pulmonary hypertension. *Pulm Circ*. 2014;4(4):612-618. doi:10.1086/677358
- Kelley EE, Baust J, Bonacci G, et al. Fatty acid nitroalkenes ameliorate glucose intolerance and pulmonary hypertension in high-fat diet-induced obesity. *Cardiovasc Res*. 2014;101(3):352-363. doi:10.1093/cvr/cvt341
- Yabluchanskiy A, Ma Y, Chiao YA, et al. Cardiac aging is initiated by matrix metalloproteinase-9-mediated endothelial dysfunction. *Am J Physiol Heart Circ Physiol*. 2014;306(7):H1398-407. doi:10.1152/ajpheart.00090.2014
- Henson GD, Walker AE, Reihl KD, Donato AJ, Lesniewski LA. Dichotomous mechanisms of aortic stiffening in high-fat diet fed young and old B6D2F1 mice. *Physiol Rep*. 2014;2(3):1-9. doi:10.1002/phy2.268
- J Z, Q L, Han H-C. An in vivo rat model of artery buckling for studying wall remodeling. *Ann Biomed Eng*. 2014;42(8):1658-1667. doi:10.1016/j.immuni.2010.12.017.Two-stage
- Grimes KM, Reddy AK, Lindsey ML, Buffenstein R. And the beat goes on: maintained cardiovascular function during aging in the longest-lived rodent, the naked mole-rat. *AJP Hear Circ Physiol*. 2014;307(3):H284-H291. doi:10.1152/ajpheart.00305.2014
- Reddy AK, Hartley CJ, Pham TT, Darlington G, Entman ML, Taffet GE. Young Little mice express a premature cardiovascular aging phenotype. *Journals Gerontol - Ser A Biol Sci Med Sci*. 2014;69 A(2):152-159. doi:10.1093/gerona/glt055
- Du B, Ouyang A, Eng JS, Fleenor BS. Aortic perivascular adipose-derived interleukin-6 contributes to arterial stiffness in low-density lipoprotein receptor deficient mice. *Am J Physiol Circ Physiol*. 2015;308(11):H1382-H1390. doi:10.1152/ajpheart.00712.2014
- Yue X, Yang X, Lin X, et al. Rnd3 haploinsufficient mice are predisposed to hemodynamic stress and develop apoptotic cardiomyopathy with heart failure. *Cell Death Dis*. 2014;5(6):1-9. doi:10.1038/cddis.2014.235
- Andruchkova O, Slavic S, Zeitz U, et al. Vitamin D Is a Regulator of Endothelial Nitric Oxide Synthase and Arterial Stiffness in Mice. *Mol Endocrinol*. 2014;28(1):53-64. doi:10.1210/me.2013-1252
- Savai R, Al-Tamari HM, Sedding D, et al. Pro-proliferative and inflammatory signaling converge on FoxO1 transcription factor in pulmonary hypertension. *Nat Med*. 2014;20(11):1289-1300. doi:10.1038/nm.3695
- Allen RA, Wu W, Yao M, et al. Nerve regeneration and elastin formation within poly (glycerol sebacate)-based synthetic arterial grafts one-year post-implantation in a rat model. *Biomaterials*. 2014;35(1):1-18. doi:10.1016/j.biomaterials.2013.09.081.Nerve
- LaRocca T, Hearon CM, Henson GD, Seals D. Mitochondrial Quality Control and Age-Associate Arterial Stiffening. *Exp Gerontol*. 2014:78-82. doi:10.1016/j.exger.2014.07.008.Mitochondrial
- Rodriguez MR. Sunitinib-Induced Cardiotoxicity Exposes Microvascular and Metabolic Derangements in the Failing Heart. 2015.
- Steppan J, Tran H, Bead V. Arginase inhibition reverses endothelial dysfunction, pulmonary hypertension and vascular stiffness in transgenic sickle cell mice. *Anesth Analg*. 2016;123(3):652-658. doi:10.1213/ANE.0000000000001378.Arginase
- Hanson MG, Zahradka P, Taylor CG. Lentil-based diets attenuate hypertension and large-artery remodelling in spontaneously hypertensive rats. *Br J Nutr*. 2014;111(4):690-698. doi:10.1017/S0007114513002997
- Agbor LN, Ibeawuchi S-RC, Hu C, et al. Cullin-3 mutation causes arterial stiffness and hypertension through a vascular smooth muscle mechanism. *JCI Insight*. 2016;1(19):1-11. doi:10.1172/jci.insight.91015
- Merentie M, Lottonen-Raikaslehto L, Parviainen V, et al. Efficacy and safety of myocardial gene transfer of adenovirus, adeno-associated virus and lentivirus vectors in the mouse heart. *Gene Ther*. 2016;23(3):296-305. doi:10.1038/gt.2015.114
- Robinson P, Taffet GE, Engineer N, et al. Substance P Receptor Antagonism : A Potential Novel Treatment Option for Viral-Myocarditis. *Biomed Res Int*. 2015.
- Hartley C, Reddy A, Madala S, Entman M, Taffet G. Feasibility of dual Doppler velocity measurements to estimate volume pulsations of an arterial segment. *Ultrasound Med Biol*. 2010;36(7):1169-1175. doi:10.1016/j.ultrasmedbio.2010.04.002.Feasibility
- Vendrov AE, Vendrov KC, Smith A, et al. NOX4 NADPH Oxidase-Dependent Mitochondrial Oxidative Stress in Aging-Associated Cardiovascular Disease. *Antioxid Redox Signal*. 2015;23(18):1389-1409. doi:10.1089/ars.2014.6221
- Prasad AM, Morgan DA, Nuno DW, et al. Calcium/calmodulin-dependent kinase II inhibition in smooth muscle reduces angiotensin II-induced hypertension by controlling aortic remodeling and baroreceptor function. *J Am Heart Assoc*. 2015;4(6):e001949. doi:10.1161/JAHA.115.001949
- Walker AE, Henson GD, Reihl KD, et al. Greater impairments in cerebral artery compared with skeletal muscle feed artery endothelial function in a mouse model of increased large artery stiffness. *J Physiol*. 2015;593(8):1931-1943. doi:10.1113/jphysiol.2014.285338
- Soucy KG, Lim HK, Attarzadeh DO, et al. Dietary inhibition of xanthine oxidase attenuates radiation-induced endothelial dysfunction in rat aorta. *J Appl Physiol*. 2010;108(5):1250-1258. doi:10.1152/jappphysiol.00946.2009
- Chintalgattu V, Ai D, Langley RR, et al. Cardiomyocyte PDGFR-beta signaling is an essential component of the mouse cardiac response to load-induced stress. *J Clin Invest*. 2010;120(2):472-484. doi:10.1172/JCI39434
- Barrick CJ, Dong A, Waikel R, et al. Parent-of-origin effects on cardiac response to pressure overload in mice. *Am J Physiol Hear Circ Physiol*. 2009;297(3):1003-1009. doi:10.1152/ajpheart.00896.2008.
- Santhanam L, Tuday EC, Webb AK, et al. Decreased S-nitrosylation of tissue transglutaminase contributes to age-related increases in vascular stiffness. *Circ Res*. 2010;107(1):117-125. doi:10.1161/CIRCRESAHA.109.215228
- Eberth J, Gresham V, Reddy A, Popovic N, Wilson E, Humphrey J. Importance of Pulsatility in Hypertensive Carotid. *J Hypertens*. 2009;27(10):2010-2021. doi:10.1097/HJH.0b013e3182832e8dc8.IMPORTANCE
- Tuday EC, Nyhan D, Shoukas A a, Berkowitz DE. Simulated microgravity-induced aortic remodeling. *J Appl Physiol*. 2009;106(6):2002-2008. doi:10.1152/jappphysiol.90777.2008

Peer-reviewed articles citing Doppler Flow Velocity System

Reddy A, Madala S, Jones A, et al. Multi-channel pulsed doppler signal processing for vascular measurements in mice. *Ultrasound Med Biol*. 2009;35(12):2042-2054.
doi:<https://doi.org/10.1016/j.ultrasmedbio.2009.06.1096>

Xu J, Lin S-C, Chen J, et al. CCR2 mediates the uptake of bone marrow-derived fibroblast precursors in angiotensin II-induced cardiac fibrosis. *AJP Hear Circ Physiol*. 2011;301(2):H538-H547.
doi:10.1152/ajpheart.01114.2010

Hartley CJ, Reddy AK, Madala S, Entman ML, Michael LH, Taffet GE. Doppler velocity measurements from large and small arteries of mice. *Am J Physiol Hear Circ Physiol*. 2011;301:H269-H278.
doi:10.1152/ajpheart.00320.2011.

Medical T, Vela D. Dynamic Remodeling of the Stressed Heart : Role of Protein Degradation Pathways. 2010.

Kulandavelu S, Qu D, Adamson SL. Cardiovascular function in mice during normal pregnancy and in the absence of endothelial NO synthase. *Hypertension*. 2006;47(6):1175-1182.